



DISCOSET/DISCOSPOT inox

anello libero-filoterra-tondo/free ring-ground level-round



Importante - Important

Questa serie è certificata con marchio  relativo alla sicurezza ed alle nuove norme EN.


This serie is marked  which refers to safety and to the new standard EN.



DISCOSET



DISCOSPOT



IP 67
Class I



I

Apparecchi da incasso al suolo per illuminazione generale, per traffico pedonabile e veicolare.

Anello

Inox

Corpo

Alluminio

Diffusore

Cristallo temperato.

Resistenza al carico **2000 kg**

Verniciatura

Poliestere

Cassaforma

Tecnopolimeri

GB

Ground recessed equipment, destined to general illumination, for vehicles and pedestrian traffic.

Ring

Inox

Body

Aluminium

Diffuser

Tempered crystal.




Static load test **2000 kg**





Paint


Polyester

Housing


Technopolymers

DISCOSET inox					
Lamp	Data Sheet/Dati	Code	Lumen	Colour	Diffuser
	Max 60W E 27 IAA	3.761	600		60 trasparente transparent
	13W G24 d-I FSQ	3.762	900	15 inox	61 satinato satin
	Max 50W/12V Gy 6.35 HSG	3.763	930		

DISCOSPOT inox					
Lamp	Data Sheet / Dati	Code	Lumen	Colour	Diffuser
	70W G12 MT	3.781	5.200		60 trasparente transparent
	26 W Gx24 d-3 FSM	3.783	1.800	15 inox	61 satinato satin
	Max 120W PAR 38 E27 IPAR	3.784	3.500		
	50W Hg E27 QE	3.785	2.000		


Lamp	Data Sheet / Dati	Code	Lumen	Colour	Diffuser
	150W G12 MT ta 15° C	3.782/A	12.000	15 inox	60 trasp./transp. 61 satinato/satin

DiscoSet 3.761




Max. 60W IAA

DiscoSet 3.762




13W FSD

DiscoSet 3.763




Max. 50W/12V HSG

DiscoSpot 3.781




70W MT

DiscoSpot 3.782/A




150W MT

DiscoSpot 3.783




26W FSM

DiscoSpot 3.784



Max. 120W PAR38 IPAR

DiscoSpot 3.785




50W Hg QE


DISCOSET/DISCOPOT

anello libero-filoterra/free ring-ground level



Importante - Important

Questa serie è certificata con marchio  relativo alla sicurezza ed alle nuove norme EN.

This serie is marked  which refers to safety and to the new standard EN.



DISCOSET



DISCOPOT



IP 67
Class I



I

Apparecchi da incasso al suolo per illuminazione generale, per traffico pedonabile e veicolare.

Corpo

Alluminio

Diffusore

Cristallo temperato.

Resistenza al carico **2000 kg**

Verniciatura

Poliestere

Cassaforma

Tecnopolimeri

GB

Ground recessed equipment, destined to general illumination, for vehicles and pedestrian traffic.

Body

Aluminium

Diffuser

Tempered crystal.


Static load test **2000 kg**

Paint

Polyester

Housing

Technopolymers




DISCOSET					
Lamp	Data Sheet/Dati	Code	Lumen	Colour	Diffuser
	Max 60W E 27 IAA	3.721	600	02 nero black	60 trasparente transparent
	13W G24 d-I FSQ	3.722	900		
	Max 50W/12V Gy 6.35 HSG	3.723	930	09 alluminio aluminium	61 satinato satin

DISCOSPOT					
Lamp	Data Sheet / Dati	Code	Lumen	Colour	Diffuser
	70W G12 MT	3.731	5.200	02 nero black	60 trasparente transparent
	26 W Gx24 d-3 FSM	3.733	1.800		
	Max 120W PAR 38 E27 IPAR	3.734	3.500	09 alluminio aluminium	61 satinato satin
	50W Hg E27 QE	3.735	2.000		


Lamp	Data Sheet / Dati	Code	Lumen	Colour	Diffuser
	150W G12 MT ta 15° C	3.732/A	12.000	02 nero/black 09 alluminio	60 trasp./transp. 61 satinato/satin

DiscoSet 3.721




Max. 60W IAA

DiscoSet 3.722




13W FSD

DiscoSet 3.723




Max. 50W/12V HSG

DiscoSpot 3.731




70W MT

DiscoSpot 3.732/A




150W MT

DiscoSpot 3.733




26W FSM

DiscoSpot 3.734



Max. 120W PAR38 IPAR

DiscoSpot 3.735



50W Hg QE